



## The right choice for up to 25in wide technical documents and maps

### Colortrac SmartLF SC Xpress Series

A well-proven, innovative technology for great wide format image quality. SingleSensor is a US Patent protected Colortrac invention that combines CIS elements and LEDs in a single line for maximum scan accuracy and optimal illumination.

Reliable and affordable scanning with a fast return on investment.

Get the job done 'super-fast' with no stopping or waiting.

SingleSensor



US Pat. #8,922,849

### SUITABLE FOR:

High quality scans of wide format maps, site plans, engineering drawings, blueprints, architectural renderings and many other technical documents. Up to 25 inches scan width.



There are three SmartLF SC 25 Xpress large format scanner models with performance levels and features optimised for different applications. If requirements change, the **m** (monochrome/greyscale) and **c** (colour) models can be easily remotely upgraded to a higher level using a simple emailed scanner upgrade tool. The **e** (enhanced) upgrade offers the highest colour scan speed. Monochrome/greyscale scan speeds are identical across all upgrades.

	SC 25m Xpress	SC 25c Xpress	SC 25e Xpress
Upgradable	m → c m → e	c → e	n/a
Optical Resolution	1200 dpi	1200 dpi	1200 dpi
Extended resolution	Linear interpolation from 100 to 9600dpi in 1 dpi steps		
Max Scan Width	25in (63.5cm)	25in (63.5cm)	25in (63.5cm)
Max Media Width / Thickness	27in (68.6cm) / 0.08" (2.0 mm)	27in (68.6cm) / 0.08" (2.0 mm)	27in (68.6cm) / 0.08" (2.0 mm)
Scan Accuracy	+/-0.1% +/-1 pixel	+/-0.1% +/-1 pixel	+/-0.1% +/-1 pixel
SingleSensor digital imaging technology	SingleSensor is a full width straight-line contact image sensor of 30,000 pixels; a Colortrac invention - patent pending. Bi-directional long-life LED light system for optimum object illumination and instant-on scanning capability		
Max Image Length	Black & White (panchromatic full spectrum) 16-bit primary point greyscale image capture 48-bit primary point colour image capture The maximum image length using SmartWorks Touch is 96" (2438mm). The maximum resolution & size (width & length) for a SmartWorks Pro image is limited by the file format specified, the available disk space and the computer operating system.		
Data Capture (color/grayscale)	16-bit	48-bit / 16-bit	48-bit / 16-bit
Color Space	n/a	Raw RGB from scanner sRGB using SmartWorks Touch Profiled RGB from optional SmartWorks Pro	Raw RGB from scanner sRGB using SmartWorks Touch Profiled RGB from optional SmartWorks Pro
Scan Speed @ 200dpi 8-bit grayscale & mono (inch/sec)	13.0	13.0	13.0
Scan Speed @ 200dpi 24-bit color (inch/sec)	n/a	6.0	12.0
Paper Path	Face-up, front entry, rear exit or rewind to front, front exit with optional Document Return Guide		
Interface	<b>SuperSpeed USB 3.0</b> data transfer rates up to 85MB/sec Optimised USB2 transfer rates up to 35MB/sec (using 2m USB cable supplied). Local power cable.		
Power Requirements	External power supply 100-240VAC auto-sensing +/-10%, 50-60Hz Scanner power consumption: < 80W scanning / 1.35W standby / 0.16W sleep		
Operating Conditions	10°C - 35°C, 35% - 80% Relative Humidity non-condensing		
Weight & Dimensions (WxHxD)	Scanner: 40 lbs (18 kg) / 34.2 x 6.0 x 15 inches (87 x 15.2 x 38.1 cm) Packed: 46 lbs (21 kg) / 40 x 9.3 x 20.1 inches (101 x 24 x 52 cm)		
Host Platform	Windows 8, Windows 7, Windows Vista - 32-bit and 64-bit architectures		
Certifications	ENERGY STAR qualified, CB, CE, CCC, FCC, UL, RoHS compliant		
SmartWorks TOUCH software (included)	Simple-to-use software for scanning, copying and printing. Intuitive interface designed for touch screens or mouse and keyboard operation. Select the mode, choose the document type closest to the original and press go. All document types can be individually modified. Save to PDF, PDF/A, MPDF, JPEG, JPEG2000, PNG, AutoCAD DWF, TIFF, TIFF LZW, TIF-G4, MTIFF, PCX, BMP. Batch scanning, full preview and all Windows driven printers supported.		
TWAIN	A Twain driver is included which provides basic control over scanner color mode, resolution and paper size setting. A compatible application is required - see Colortrac.com for details.		
Optional Accessories	Floor Stand - includes Paper Catch Basket plus optional PC, Monitor, Keyboard and Mouse mounting kit. Repro Stand - adjustable height to fit most popular Large Format printers. Includes Keyboard tray, PC & Flat screen monitor mounting kit. Optional Document Return Guide for front-feed, front-return capability.		



#### Colortrac Limited

3-5 Brunel Court, Burrell Road,  
St Ives, Cambs PE27 3LW, UK  
Tel: +44 1480 464618  
Fax: +44 1480 464620

#### Colortrac Inc.

14155 Sullyfield Circle, Suite C  
Chantilly, Virginia 20151, USA  
Tel: +1 703 717 5631  
Fax: +1 703 717 5361

#### Colortrac Japan

12th Floor, 1203  
Yokohama Creation Square, 5-1 Sakae-Cho  
Yokohama-Shi, Kanagawa-ken, Japan 221-0052  
Tel: +81 (0) 45 548 6991  
Fax: +81 (0) 45 548 6992

#### Colortrac Asia Pacific

5004 Ang Mo Kio Ave. 5  
#04-03 TECHplace II  
Singapore 569872  
Tel: +44 1480 464618  
Fax: +65 64 815 428

#### Colortrac Key technologies

- Single Sensor: Unique Colortrac CIS modules
- FireFly: SuperSpeed USB3
- SureDrive: Single driven media pressure roller
- ClearView: Innovative Dual LED lighting
- WinSync: Optimised Windows driver technology
- ScanOnce: Efficient scanning and copying workflow

#### SingleSensor



YOUR COLORTRAC STOCKIST:



### HungaroCAD

1119 Budapest Fehérvári út 84/a.  
Tel: +36 (1) 3268203  
Fax: +36 (1) 2124209  
e-mail: [info@hungarocad.hu](mailto:info@hungarocad.hu)  
Web: [www.hungarocad.hu](http://www.hungarocad.hu)

Colortrac Ltd makes no warranty of any kind with respect to the information contained in this document and reserves the right to change specifications without notice. Colortrac and SmartLF® are trademarks of Colortrac Ltd. All other trademarks are the property of their respective owners.  
Copyright © 2014 Colortrac Ltd. Colortrac SmartLF Wide Format Scanners are designed by Colortrac and manufactured in our ISO-9001:2000 certified manufacturing plant.